

BM-22AD - Industrial Turret Milling Machine

Table Travel: (X) - 590mm (Y) - 295mm (Z) - 380mm

Limited Stock

Ex GST **Inc GST**
\$9,650.00 **\$10,615.00**



ORDER CODE:	M593D
MODEL:	BM-22AD
Digital Readout:	3-Axis Counter, X, Y Scales
Type:	Vertical
Table Size (mm):	1066 x 230
Column Type:	~
Spindle Taper - Vertical:	NT30
Spindle Taper - Horizontal:	~
Longitudinal Travel (X-Axis) (mm):	595
Cross Travel (Y-Axis) (mm):	300
Vertical Travel (Z-Axis) (mm):	360
Type of Slides:	Dovetail
Ram Travel (mm):	500
Spindle to Table (mm):	~
Spindle to Base:	~
Spindle Travel / Diameter (mm):	127 / 86
Throat Depth (max.) (mm):	720
Tilting Head (Left ~ Right):	±90°
Tilting Head (Forward ~ Back):	±45°
Drilling Capacity (mm):	~
End Milling Capacity (mm):	~
Face Milling Capacity (mm):	~
Power Feed - Quill (mm/rev):	0.04 / 0.08 / 0.15
Power Feed - Longitudinal (X-Axis) (mm/min):	20 - 2000
Power Feed - Cross (Y-Axis) (mm/min):	Optional
Power Feed - Vertical (Z-Axis) (mm/min):	Optional
Table T-Slot Size (inch / mm):	16
Work Table Load Capacity (kg):	250
Spindle Speeds Vertical (No./ rpm):	8 (65 - 2330)
Spindle Speeds Horizontal (No./ rpm):	~
Spindle Speeds - Universal Head:	~
Motor Power - Vertical Spindle (kW / hp):	2.2 / 3
Motor Power - Horizontal Spindle (kW / hp):	~
Motor Power - Universal Head:	~
Voltage / Amperage (V / amp):	240 / 15
Nett Weight (kg):	1100

Features

- 3-Axis digital readout counter fitted with 2-Axis X & Y scales only
- 3hp, 240V motor, 8-speeds V-belt drive system
- NT30 Spindle taper with a chrome & ground quill
- Hardened & ground work table & slide-ways
- All slides utilise dovetail construction for maximum rigidity
- Meehanite casting for high strength & minimal deformation
- Quality electrics & overload protection in an easy access enclosure
- Horizontal travelling ram mounted on a rotating base allowing repositioning of spindle
- The ram incorporates a tail lug (spigot) to accept a slotting attachment etc.
- High / neutral and low gear selection lever to maximise torque
- Asong X-Axis power-feed with adjustable micro switch feed stops
- Metric dial graduations @ 0.02mm for X , Y & Z-Axis
- Automatic quill feed 0.04, 0.08, 0.15mm/rev
- Automatic cut off depth stop on quill
- Oil lubrication pump and reservoir

Product Brochure For M593D

- Slideway covers Y & Z-Axis
- Mill head tilts to $\pm 45^\circ$ forward and back
- Mill head tilts to $\pm 90^\circ$ left and right
- Coolant system with flexible hose
- Manual quick action quill lever
- Mechanical spindle brake
- Tool box and manual

Includes

- 3-Axis digital readout counter fitted with X & Y scales only
- One-shot oil lubrication pump and reservoir
- Drawbar M12 thread
- Coolant system
- Slideway covers
- X-Axis power-feed
- Halogen light
- Safety cutter guard
- Swarf tray

Specific Features



Left View



Control Panel



3 Axis DRO with X and Y Axis Scales



X and Y Axis Scales



Head Controls



Spindle Brake Lever, High or Low Speed Selector and Belt Tension Lever



Speed Chart



8 Speed V Belt Drive System



Low High Speed Selector



Quill Feed Depth Stop



Quill Feed Engagement Lever




Feed Engage Disengage Lever

Product Brochure For M593D



Quill Handle



Safety Cutter Guard



Hardened and Ground Work Table and Slide Ways



X Axis Power Feed With Rapid




Table Feed Limit Switch



X Axis Dial



Y Axis Dial



Knee Feed Handle



Z Axis Dial



Slide Way Cover




Tilting and Rotating Head



Adjustable Swivel and Sliding Ram




Tail Lug Supports Optional Slotting Head



One Shot Lubrication Pump



Halogen Worklight and Coolant Hose




Minimum Floor Space Required

Product Brochure For M593D

Recommended Accessories


M224

Riser Spacer - Suits Turret Milling Machines



C0966

Clamp Kit 58 piece - Workshop Series



C096A

Clamp Kit 58 piece - Industrial Series



C928

Collet & Chuck Set - 20 Piece



M3301

Metric HSS Slot Drill & End Mill Set - 10 Piece



M3321

Imperial HSS Slot Drill & End Mill Set - 10 Piece



M184

Precision Boring Head



M185

Precision Universal Facing & Boring Head



Product Brochure For M593D

M197
Boring Head Shank




M181
Boring Bar Set - 12 piece



M181A
Boring Bar Set - 4 piece



V306
Vertex Anglock Machine Vice



C290
Heavy Duty Drill Chuck - Keyed Type



C294
Industrial Drill Chuck - Keyless Type



D451
NT30-JT3 Drill Chuck Arbor



M250
Parallel Set - 8 Piece



M252
Parallel Set - 18 Piece



R008
Vertex Rotary Table



R010
Vertex Rotary Table



D001
Vertex Dividing Head - Semi Universal



Product Brochure For M593D

C280
3 Jaw Self Centring Lathe Chuck



R002
Vertex Super Indexing Head



M510
Face Mill 90° - Positive Rake



M512
Face Mill 90° - Positive Rake



M503
Face Mill 90° - Positive Rake



M515
Face Mill 45° - Super High-Rake



M517
Face Mill 45° - Super High-Rake



M518
Face Mill 45° - Super High-Rake



L065
KYOCERA Carbide Inserts - Milling



L066
KYOCERA Carbide Inserts - Milling



L059
Carbide Inserts - Milling



M540
Face Mill Arbor



Product Brochure For M593D

M542
 Face Mill Arbor



M544
 Face Mill Arbor



M545
 Face Mill Arbor



M247
 Air Power Drawbar




M2295
 Power Feed Unit



M229
 Power Feed Unit



M223
 Riser Spacer - Suits Turret
 Milling Machines



M225
 Precision Slotting Head
 Attachment



S090A
 Soluble Metal Cutting Fluid - 1
 Litre



S090
 Soluble Metal Cutting Fluid - 5
 Litre



S076
 Cutting Tool Lubricant Fluid -
 500ml



S077
 Drilling, Tapping & Cutting Tool
 Lubricant Spray - 400g



Product Brochure For M593D

S075
 Cutting Tool Lubricant Paste -
 200g



S074
 Cutting Tool Lubricant Paste -
 500g



L300
 Magnetic Swarf Remover




M9991
 Magnetic Floor Sweeper



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic
 Absorbent



O000A
 Natural Zeolite Absorbent



O043
 Rust & Corrosion Preventive -
 Penetrant & Lubricant



O042
 General Purpose Lubricant &
 Corrosion Inhibitor



O040
 Rust & Corrosion Preventive -
 Penetrant & Lubricant



O044
 Rust & Corrosion Preventive -
 Penetrant & Lubricant

