

Product Brochure For P152

HPF-50 - Industrial Hydraulic Press - 50 Tonne

Robotic Welded Steel Frame Construction
 Includes Adjustable Sliding Cylinder Ram, Foot & Hand Operated
 Pump, Table Winch, Pressure Gauge & Bending Vee Blocks

Ex GST **Inc GST**
\$2,690.00 **\$2,959.00**



ORDER CODE:	P152
MODEL:	HPF-50
Pressing Capacity (Tonne):	50
Hydraulic Ram Operation (Type):	Manual Hand Lever / & Foot Pedal System
Sliding Ram (left-right) (Yes / No):	Yes
Width Between Front Posts (mm):	730
Width Between Side Posts (mm):	205
Table Top Opening - (Front to Back) (mm):	185
Ram To Table (Max.) (mm):	1050
Piston Ram Stroke (mm):	200
Ram Diameter (mm):	Ø75
Motor Power (kW / hp):	~
Voltage (V):	~
Floor Space (W x D x H) (mm):	1360 x 800 x 1900
Nett Weight (kg):	340



Description

The Metalmaster HPF-50 50 tonne trade press has a variety of uses, ideal for removing and installing bushes, ball joints, bearings, gears, pulleys etc. The HPF-50 includes a convenient hand or foot operated pump that allows you to have both hands on your job when operating the foot pump. This press has the unique feature of two a speed hydraulic system allowing for rapid speed approach to get close to your work piece for increase productivity, then simply flick over the dial switch into the slower working speed for increasing the pressure.

This 50 tonne press has a fully robotic welded frame for the highest quality, accuracy and provides extra rigidity; and is a step above the other standard versions that's found in today's market. The HPF-50 press is supplied with a pressure gauge & two heavy duty pressing plates, making it ideal for professional mechanics or industrial workshops.

Features

- Ideal for removing and installing - Bushing, Ball-joints, Bearings, Gears, Pulleys, etc
- Foot or hand operated pump
- Heavy duty steel construction with robotic fully welded frame
- Two speed hydraulic system
- Hydraulics assembled in a temperature controlled clean room for maximum quality
- Hydraulics individually factory tested prior to shipping.
- Adjustable sliding head up to 240mm travel between the vertical post
- Table height adjusting winch included
- Metric / imperial pressure gauge included

Includes

- Complete with vee blocks

Specific Features



Robot Welded Frame



Hydraulic hand pump



Release valve for hydraulic pump



Enclosed hydraulic



Foot pedal for hydraulic pump



Table Winch Height Adjustment



Winch Cable Support



Metric imperial pressure gauge



Table Pins With Safety Clips



Dual Purpose Pressing Blocks



Horizontal Sliding Ram



Ram Top With Bearing Slide



Sliding Ram With Handle



Includes Removable Protective Ram Cap



Front view



Left view

Product Brochure For P152

sales@machineryhouse.com.au
 www.machineryhouse.com.au



Rear view



Right side view



Left side view

Recommended Accessories


P030
 Bush Driver Set - 17 piece



P031
 Bearing Race & Seal Driver Set - 10 piece



P1401
 Steel Press Pin Driver Set - 11 piece



P455
 Pressbrake Attachment - Suits Hydraulic Presses



O002
 Superdraulic Hi Temp 46 Hydraulic Oil



O004
 Superdraulic 46 Hydraulic Oil

