

Product Brochure For D160

PD-28 - Industrial Pedestal Drill - Belt Drive

Table Rotates 360°

Ø23mm Drill Capacity with 2MT Spindle Taper

Ex GST
\$1,390.00

Inc GST
\$1,529.00



ORDER CODE:	D160
MODEL:	PD-28
Type - Bench / Pedestal:	Pedestal
Duty Type:	Industrial-Duty
Drilling Diameter Capacity (mm):	Ø23
Spindle Taper (MT):	2
Spindle Travel (mm):	83
Throat Depth (mm):	185
Quill Diameter (mm):	47
Collar Diameter (mm):	65
Column Diameter (mm):	80
Spindle To Table (mm):	645
Spindle To Base (mm):	1180
Table Shape:	Square
Table Size (mm):	285 x 285
Work Light:	~
Micro Switch On Pulley Guard:	Yes
Drive Belt Type:	A Section
Spindle Speed Steps (No.):	12
Spindle Speed Range (rpm):	300 - 2360
Motor Power (kW / hp):	0.75 / 1
Voltage / Amperage (V / amp):	240 / 10
Overall Height (mm):	1710
Nett Weight (kg):	102



Description

If you are in the market for a superior quality industrial belt drive drilling machine with a capacity of Ø23mm, and need it to take some serious work load duration then this machine would definitely perform to the task. This PD-28 pedestal drill manufactured in Taiwan to precision engineering tolerance & excellence will certainly transform your drilling holes experience to the next level of expertise.

What makes this machine different from the others is that the casting have been made heavier & thicker walled, which in this case relates to a total weight of 102kg on this model, that is approximately 70% heavier to its rival in this range.

Therefore, this range of drilling machines offers all the basic feature necessities to outperform & outlast the competitor machines all day everyday.

Features

- Ideal for industrial workshop use
- Quiet A section V-belt drive system
- Quick action belt tensioning lever
- Adjustable safety drilling chuck guard with micro switch
- Safety micro switch on pulley guard
- Safety magnetic-type switch
- Emergency stop switch
- Rack & pinion table height adjustment with locking lever
- Thick walled column ensuring greater rigidity
- Table rotates 360°
- Drilling depth stop setting with scale
- T slotted work table
- 12 spindle speeds - 300, 390, 450, 550, 620, 720, 1130, 1200, 1340, 1730, 1860, 2360rpm
- 240V Fan-cooled motor rated for continuous use with overload protection
- Made in Taiwan

Includes

- Drill chuck & arbor
- Chuck key to suit
- Drill drift

Specific Features



Quill Handle



Drilling Depth Stop Setting With Scale



Adjustable Safety Chuck Guard



16mm Drill Chuck



Safety Emergency Stop Switch



Cast Iron Tilting-Rotating Table



Belt Tension Adjustment



A Section Belt Drive System




Speed Chart



Safety Micro Switch On Belt Cover



Cast Iron Base With T Slot



On Off Switch



Parts Included



Left Side View



Front View

Product Brochure For D160

Recommended Accessories

W3425
 Drill Press Roller Support



C103
 9" Drill Press Locking Clamp



P220
 Gravity Feed Coolant System



S090A
 Soluble Metal Cutting Fluid - 1
 Litre



S090
 Soluble Metal Cutting Fluid - 5
 Litre



C085A
 Clamp Kit Tee Nuts



L300
 Magnetic Swarf Remover



M9991
 Magnetic Floor Sweeper



Product Brochure For D160

D119
 Metric 2MT HSS Drill Set



D122
 Metric 2MT HSS Drill Set



D1171
 Metric Industrial HSS Reduced Shank Drill Set



D1181
 Imperial Industrial HSS Reduced Shank Drill Set



D117
 Metric HSS Reduced Shank Drill Set



C292
 Industrial Drill Chuck - Keyless Type



C294
 Industrial Drill Chuck - Keyless Type



D442
 2MT x JT6 Drill Chuck Arbor



D442A
 2MT x JT3 Drill Chuck Arbor



V124
 Drill Press Vice



V125
 Drill Press Vice



V126
 Drill Press Vice



Product Brochure For D160

V144
 Drill Press Vice



V145
 Drill Press Vice



V141
 Safeway Precision Drill Press
 Vice



V142
 Safeway Precision Drill Press
 Vice




V143
 Safeway Precision Drill Press
 Vice



V114
 Tilting Drill Press Vice



V120
 Compound Drill Vice



V1204
 Compound Drill Vice



V1205
 Compound Drill Vice




T002
 Reversible Tapping Chuck



M800
 Rubber Mat - Anti-Fatigue



M805
 Rubber Mat - Anti-Fatigue



Product Brochure For D160

O000

SpillFix Universal Organic Absorbent



O000A

Natural Zeolite Absorbent



O043

Rust & Corrosion Preventive - Penetrant & Lubrication



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive - Penetrant & Lubrication



O044

Rust & Corrosion Preventive - Penetrant & Lubrication

