

Product Brochure For P136P

AP-1020/100 - Industrial Motorised Hydraulic Press Bender - 100 Tonne

10hp 415V Motor & 300mm Ram Stroke
 Includes Multi Vee Pressbrake Attachment, Pressure Gauge & Foot
 Pedal Control

Please Call



| | |
|---|--------------------------|
| ORDER CODE: | P136P |
| MODEL: | AP-1020/100 - Pressbrake |
| Pressing Capacity (Tonne): | 100 |
| Hydraulic Ram Operation (Type): | Motorised System |
| Sliding Ram (left-right) (Yes / No): | No |
| Width Between Front Posts (mm): | 1020 |
| Width Between Side Posts (mm): | ~ |
| Table Top Opening - (Front to Back) (mm): | ~ |
| Ram To Table (Max.) (mm): | ~ |
| Piston Ram Stroke (mm): | 300 |
| Ram Diameter (mm): | Ø220 |
| Motor Power (kW / hp): | 7.5 / 10 |
| Voltage (V): | 415 |
| Floor Space (W x D x H) (mm): | 2100 x 1050 x 2220 |
| Nett Weight (kg): | 1900 |

LFSS
 ŞAHİN MAKİNA



Description

100 tonne Hydraulic Press Bender Includes a Pressbrake Attachment

Note: Pressbrake attachment can be removed to use as a standard shop press

Features

- 1020mm x 86° offset top punch tool
- 1020mm x 95mm square bottom multi-vee die block, 10, 20, 30, 40 & 65mm vee
- 8mm maximum plate bending thickness with pressbrake attachment
- 1020 x 500mm die table with a Ø100mm centre hole
- 680mm distance between tables
- Fast approach slow bend
- Adjustment system for taking down or up the table
- Pressure adjustment
- Adjustable stroke
- T-slotted bottom table
- High capacity workshop forming press with extra 2 guide pistons in both sides
- Heavy duty steel welded frame
- Hydraulic operated pressing ram
- Pressure gauge fitted
- Safety overload valve
- Built to CE regulations
- Foot Pedal control
- Safety contactor switch with overload protection
- 8mm/sec Fast Approach
- 5mm/sec Working Speed
- 10mm/sec Return Speed

- Pre-Commissioning:
 1. Press is run & tested prior delivery
 2. Hydraulic oil is included with machine

Includes

— Complete with Pressbrake Attachment

Product Brochure For P136P

Specific Features



T Slotted Bottom Table



Multi vee Die Block




Adjustable Travel Limit Control



Pressure Gauge



Controls



Pressbrake Attachment Locks



2 x Guide Pistons



Foot Pedal Control



Heavy Duty Steel Welded Frame



Adjustable Table Height

Product Brochure For P136P

sales@machineryhouse.com.au
www.machineryhouse.com.au

Recommended Accessories

O002

Superdraulic Hi Temp 46
Hydraulic Oil

O004

Superdraulic 46 Hydraulic Oil

