

Product Brochure For C429

RAZOR™ CUT 80 - Plasma Cutter

80 Amps - 30mm Steel Capacity, #KUPJRRW80
 6 Metre Surecut SC80 Plasma Torch

Ex GST **Inc GST**
\$2,000.00 **\$2,200.00**



| | |
|--|-----------------|
| ORDER CODE: | C429 |
| MODEL: | RAZOR™ CUT 80 |
| Part Number: | KUPJRRW80 |
| Cutting Capacity - Steel (mm): | 30 |
| Cutting Capacity - Aluminium (mm): | ~ |
| Voltage / Amperage (V / amp): | 415 / 20 |
| Recommended Plug (amp): | 20 |
| Duty Cycle: | 40% @ 80 amp |
| Current Range (amp): | 20-80 |
| Air Pressure Required (PSI): | 75 |
| Air Flow Capacity Required (L/min /Bar): | 189 / ~ |
| Recommended Generator KVA (kVA): | ~ |
| Dimensions (mm): | 560 x 220 x 415 |
| Nett Weight (kg): | 16 |



Description

The Industrial Rated, Lightweight and Portable RAZORCUT 80 is an inverter-based Plasma cutting machine produced using the latest in IGBT technology. This machine is reliable, robust and stacked with features that you can expect from a quality Industrial Plasma Cutter. The RAZORCUT80 produces a high temperature plasma stream providing effortless cutting of all electrically conductive materials including steel, cast Iron, stainless steel, copper, aluminium brass etc . The RAZORCUT80 is equipped with a high quality SureGrip SC80 Plasma torch with Euro connection, developed specifically to enhance and improve the cut quality of the RAZORCUT80 machine. Connection of the SC80 Plasma torch provides effortless starting of the cut with powerful, fast and accurate cutting capability, additional is the benefit of longer life cycle consumable electrodes and cutting tips.

The RAZORCUT80 is an exceptional machine that is suitable for a wide range of applications including Industrial use, sheet metal fabrication, site work, automotive, ducting work, repair and maintenance services. The RAZORCUT80 gives you the best of both worlds great portability, with the power to get the job done. Built to our specification and manufactured in compliance to AS/NZS 60974-1

Features

- Latest IGBT Inverter Technology
- CNC Connection
- Safe Euro torch connection
- High quality SC80 6 Metre Plasma torch
- Industrial application
- Tolerant to variable power supply
- In-built Air Regulator with pre-set air pressure
- Suitable to cut all electrically conductive materials
- Light weight and compact
- Strong metal housing, with plastic front and rear covers
- Generator use with pure sine wave generator only

Includes

- RAZORCUT80 Machine
- SC80 x 6M Plasma Torch
- Earth Lead 4M
- Gas connection fitting
- CNC Port for remote start applications

Product Brochure For C429

Specific Features



C429



Front View



Right View

Recommended Accessories

C559

SC80 Plasma Torch
 Consumable Pack



C492

Plasma Sub-Micronic Air Filter
 Canister



C492A

Plasma Air Filter cartridge




C620

Electrodes




C624

0.9mm Cutting Tips




C625

1.0mm Cutting Tips



C6251

1.3mm Cutting Tips




C622

Swirl Ring



Product Brochure For C429

C626
Retaining Cup



C342
Air Compressor



C660
Plasma Circle Cutting Kit



W003
Auto Darken Welding Helmet -
5-8 / 9-13 Shade



W1000A
Promax HV5 Welding Jacket



W1001A
Promax Blue FR Welding Jacket



W1002A
Professional Promax BL7
Welding Jacket




W100
ROGUE™ Heavy Duty Welding
Gloves - 400mm



W101
TIG Welding Gloves - 310mm



L3456
How to Weld Book



W225
Welding Curtain

