

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au

www.machineryhouse.com.au

Product Brochure For W740

OAV P30CE - Panel Saw

548 x 896mm Cast Iron Table Ø305mm Saw Blade, Ø120mm Scoring Blade Diameter & Includes 1600mm Sliding Table & Over Head Guard



Ex GST	Inc GST
\$10,450.00	\$11,495.00

+···,···· +··,·	
ORDER CODE:	W740
MODEL:	OAV P30CE
Blade Diameter (mm):	Ø305
Table Size (W x H) (mm):	548 x 896
Table Size With Extensions (mm):	1003 x 1726
Max. Depth Of Cut 90º & 45º (mm):	90 / 63
Scribe Blade Diameter (mm):	Ø120
Tilt Arbor To 45°:	Yes
Sliding Table Stroke (mm):	1600
Cross Cut with Flip Over Stop (mm):	1400
Cross Cut with Extension Stop (mm):	1400 - 2600
Rip Capacity (mm):	1300
Motor Power (kW / hp):	3.75 / 5
Voltage / Amperage (V / amp):	415
Floor Space Required (W x D x H) (mm):	3650 x 3700 x 1450
Weight (nett) (kg):	607



Description

This is a great mid-sized heavy-duty panel saw designed for ease of use with high accuracy cutting of all types of board materials. This is a very reliable and accurate panel saw, easy to use and an asset in any workshop.

The OAV P30CE offers a full 1600mm before the blade, the heavy duty 1600 x 315mm sliding table is robust and smooth running on its slides. A panel frame supports the larger boards and a mitre fence with extension plus 2 length stops are included as standard. There are plenty of adjustments that can be made to ensure accurate cuts all day every day.

The saw blade size is 305mm, driven by a 5hp 415V motor spinning the blade at 4000rpm, giving a maximum depth of cut of 90mm at 90°. The 120mm scoring blade powered by a separate 0.75hp motor is spinning at a grand 8000rpm, giving the finest of scoring cuts on laminated materials, preventing chipping of the edge of the cut.

The main table is a rigid, precision ground, cast iron surface of 548 x 896mm supported by a welded steel chassis, powder coated for long term protection. A cast iron rip fence body with fine width adjustment is complemented by a long, alloy extrusion fence arm, all running on a solid 40mm diameter chromed steel rail. Rear outfeed and side extension tables in thick gauge sheet steel are included as well.

Features

- Main and scoring saw blade ensures tear-free cutting Ø305mm main blade driven by powerful 3.75kW / 5hp 415V motor Ø120mm scoring blade driven by 0.56kW / 0.75hp 415V motor Main blade spindle speed 4000rpm Scoring blade spindle speed 8000rpm Depth of cut: 90mm @ 90°, 63mm @ 45° 1600mm sliding table stroke 1300mm ripping canacity with smooth rip fance & adjustment

- 1300mm ripping capacity with smooth rip fence & adjustment Heavy duty aluminium extruded fence with 2 height options
- Precision ball bearing main spindle tilts to 45°
- Cast iron main table with steel extension
- Durable extruded aluminium slide provides extremely smooth traverse, table is 1600 x 315mm wide
- Heavy duty internal mechanism
- Solid outrigger table with swing arm
- Easy access electrical controls on main frame
- Magnetic switch with overload protection
- Heavy duty overhead saw blade guard with dust collector port



Product Brochure For W740

• Industrial Taiwanese machine

Specific Features







Main View Guard Up



Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422

Perth: (08) 9373 9999

sales@machineryhouse.com.au

www.machineryhouse.com.au

Rear View



Table Handles and Table Lock





Control Panel



Angle Guides



Solid Outrigger Table with Sliding Arm Heavy Duty Aluminium Extruded Fence with 2 Height Options





Blade Tilt Handle










Flip Over Material Guide

Fence Shown In Low Position For Thin Material Fence Shown In High Position For Thicker Material Heavy Duty Cast Fence Guide with Micro Adjustment Main Blade with Scoring Blade










Blade Height Adjustment and Push Stick































Product Brochure For W740

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au



Main Blade Close Up



Tilting Blade Guard Raised



Blade Guard



Blade Guard Raised Up



Tilting Blade Guard with Dust Extraction Hose Angle Guide with Material Clamp



Tilting Blade Guard



Recommended Accessories

W309 Safety Push Blocks & Stick Set

W394 **Dust Collector**



W397 Industrial Dust Collector



- 41

- 11

Tilting Blade Guard Front View

02/07/2023 8:27 AM



Product Brochure For W740

W331 Industrial Dust Collector

W344 Wood Dust Accessory Kit W334 Dust Hose Reducer W333 Dust Hose Reducer









Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422

Perth: (08) 9373 9999

sales@machineryhouse.com.au

www.machineryhouse.com.au

W335 Dust Hose Shut Off Valve

W336 Dust Hose Elbow

W337 Dust Hose Y Adaptor

W338 Dust Hose Universal Dust Hood



W339 Dust Hose Floor Sweeper Attachment

W340 Dust Hose Clamp W398 PVC Dust Hose (Sold Per Metre)

W343 Roller Stand











Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Product Brochure For W740

W343A Roller Stand W3434 Roller Stand

