

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Product Brochure For P150

HPF-20 - Trade Hydraulic Press - 20 Tonne

Robotic Welded Steel Frame Construction

Includes Adjustable Sliding Cylinder Ram, Foot & Hand Operated Pump, Pressure Gauge & Bending Vee Blocks



Ex GST	Inc GST
\$1,050.00	\$1,155.00

ORDER CODE:	P150
MODEL:	HPF-20
Pressing Capacity (Tonne):	20
Hydraulic Ram Operation (Type):	Manual Hand Lever / & Foot Pedal System
Sliding Ram (left-right) (Yes / No):	Yes
Width Between Front Posts (mm):	510
Width Between Side Posts (mm):	132
Table Top Opening - (Front to Back) (mm):	152
Ram To Table (Max.) (mm):	1118
Piston Ram Stroke (mm):	150
Ram Diameter (mm):	Ø48
Motor Power (kW / hp):	~
Voltage (V):	~
Floor Space (W x D x H) (mm):	1000 x 800 x 1830
Nett Weight (kg):	147





Description

The Metalmaster HPF-20 20 trade press has a variety of uses, ideal for removing and installing bushes, ball joints, bearings, gears, pulleys etc. The HPF-20 includes a convenient hand or foot operated pump that allows you to have both hands on your job when operating the foot pump. This press has the unique feature of two a speed hydraulic system allowing for rapid speed approach to get close to your work piece for increase productivity, then simply flick over the dial switch into the slower working speed for increasing the pressure.

This 20 tonne press has a fully robotic welded frame for the highest quality, accuracy and provides extra rigidity; and is a step above the other standard versions that's found in today's market. The HPF-20 press is supplied with a pressure gauge & two heavy duty pressing plates, making it ideal for mechanics or the serious home workshop.

Features

- Ideal for removing and installing Bushing, Ball-joints, Bearings, Gears, Pulleys, etc
- Foot or hand operated pump
- Heavy duty steel construction with robotic welded frame
- Two speed hydraulic ram system
- Hydraulics assembled in a temperature controlled clean room for maximum quality Hydraulics individually factory tested prior to shipping. Adjustable sliding head up to 175mm travel between the vertical post

- Metric / imperial pressure gauge included

Includes

Complete with vee blocks



Product Brochure For P150

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Specific Features



Robotic Welded Frame



Foot Pedal For Hydraulic Pump



Horizontal Sliding Ram



Left View



Hydraulic Hand Pump



Metric / Imperial Pressure Gauge



Ram Top With Bearing Slide



Front View





Table Pins With Safety Clips









Enclosed Hydraulic Pump



Dual Purpose Pressing Blocks



Includes Removable Ram Top Cap



Right Side View



Product Brochure For P150

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au



Left Side View

Recommended Accessories

P030 Bush Driver Set - 17 piece P031 Bearing Race & Seal Driver Set - 10 piece P1401 Steel Press Pin Driver Set - 11 piece O002 Superdraulic Hi Temp 46 Hydraulic Oil





O004 Superdraulic 46 Hydraulic Oil

