

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

Product Brochure For W795

sales@machineryhouse.com.au www.machineryhouse.com.au

OVS-JM - Vertical Oscillating Bobbin Sander with Cabinet Stand

Ø1/4 - 4" Sanding Sleeves Tilting Table To 45 Degrees

ех gst \$2,950.00	Inc GST \$3,245.00
ORDER CODE:	¥ • ,_ : • • • • • • • W795
MODEL:	OVS-JM
Sanding Spindle Sleeve Sizes (Inch):	1/4", 3/8", 1/2", 5/8", 3/4" & 1", 1-1/2", 2", 3" & 4"
Table Size (mm):	609 x 609
Table Height (mm):	990
Oscillating Stroke (mm):	38
Sanding Spindle Speed (rpm):	1725
Tilting Work Table (Deg.):	45°
Dust Port Size (mm):	Ø100
Motor Power (kW / hp):	0.75 / 1
Voltage / Amperage (V / amp):	240 / 10
Floor Space (W x D x H):	620 x 620 x 1200
Weight (kg):	145





Features

- Used for sanding deep and wide work pieces, front edges, narrow inner curves, horizontal, vertical, diagonal, with or across the grain
- User- friendly features including dust collection port which allows connection to dust extractor equipment for a cleaner and safer working environment
- The rubber drum can be fitted on both ends to fully utilise the entire spindle
- Bobbin oscillation stroke of 38mm to spread workload on sandpaper sleeves This machine accommodates ten sizes of spindle from 1/4" to 4", diameter to fit the various rubber drum diameters
- The tilting table can be easily tilted by lossening the two lock knobs located at both sides under the table for the sanding of bevelled parts. A graduated scale is attached to read the tilting degree
- A dust hood is built under the table for connection to dust collector. The dust hood outlet is 4" diameter
- Spindle change is easily made by using the supplied wrench
- The oscillating sanding provides an extremely fine sanding finish
- Easily interchanged spindles
- The tilting table is precision ground
- Heavy gauge steel frame
- On-board accessory storage ensures convenient storage of all drums and table inserts plates
- Heavy duty precision ground cast iron tilting table 609 x 609mm for greater stability, accuracy and durability
- Rotating and oscillating action ensures exceptional finishing results
- Powered by an 1hp 240V motor provides ample power
- Oscillating per minute: 75 times
- Sanding spindle speed: 1725rpm
- Table height: 990mm

Includes

- Sanding Spindles & Sleeves: 1/4" x 5" long 3/8" x 6" long 1/2" x 6" long

- 5/8" x 6" long 3/4" x 9" long
- 1" x 9" long 1-1/2" x 9" long
- 2" x 9" long



Product Brochure For W795

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

3" x 9" long
4" x 9" long

Specific Features



Tilt Table to 45 Degrees



Sanding Spindle Holders on Left Side Emergency Stop Switch



Table Tilt Scale



100mm Dust Extraction



On Off Switch



Sanding Spindle Holders on Right Side



Sanding Spindles Table Inserts and Spanners



Left View



Side View

02/07/2023 8:27 AM



Product Brochure For W795

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Recommended Accessories

W795A Bobbin Sanding Sleeve W795B Bobbin Sanding Sleeve W795C Bobbin Sanding Sleeve

W795D Bobbin Sanding Sleeve









W795E Bobbin Sanding Sleeve

W795F Bobbin Sanding Sleeve

W795G Bobbin Sanding Sleeve

W795H Bobbin Sanding Sleeve











Product Brochure For W795

W795I Bobbin Sanding Sleeve W795J Bobbin Sanding Sleeve G183 Abrasive Belt & Disc Cleaning Stick

W886 Dust Collector









Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au

www.machineryhouse.com.au