

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Inc GST

PB-830A - Hydraulic NC Panbrake - NC-89 Control

2500 x 4mm Mild Steel Bending Capacity



| \$18,500.00 | \$20,350.00 |
|--------------------------------|----------------------|
| ORDER CODE: | S584A |
| MODEL: | PB-830A |
| Controller Type: | NC-89 Single Program |
| Bending Length (mm): | 2500 |
| Mild Steel Capacity (mm): | 4 |
| Stainless Steel Capacity (mm): | 2 |
| Material Clamping Type: | Hydraulic Clamp |
| | |

Ex GST

2 lamp Material Bending Type: Hydraulic Bend Bending Angle Indicator (deg): 0-1250 Backgauge Travel (mm): 1000 Motor (kW / hp): 5.5 / 7.5 Voltage / Amperage (V / amp): 415 Floor Space (L x W x H) (mm): 3150 x 1540 x 1440 Nett Weight (kg): 2776









Features

- 2500mm x 4mm bending capacity
- NC-89 digital single angle programmable control for angles from 0-125°
 Auto cycle: after clamping bottom beam will bend to pre-set angle and return, head unclamps to set position Quick action rapid head adjustment to optimise bend radius on 1-4mm material thickness
 Heavy duty steel fabricated construction

- Roving foot pedal incorporates control panel for maximum flexibility
 High quality components ensure reliable performance for years of continuous operation
 NC-89 controlled opening height adjustment
- NC-89 controlled dwell timer ensures consistent bending angle
- Extended fingers allows bending of pans or boxes to a depth of 205mm
- Includes an adjustable rear manual backgauge, also adjustable for tapered material
- Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
- 1. Panbrake bender is run & tested prior delivery
- 2. Hydraulic oil is included with machine



Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Specific Features







Rapid Blade Adjustment for Material Thickness Removable Fingers





Apron Safety Guards



Roving Foot Pedal



Shown with Material Clamp Beam Open Manual Backgauge





Side View



Rear View



Shown with Optional Ball Transfer Tables - Order Code (L840)



Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Recommended Accessories

Hydraulic NC Panbrake - NC-89 Control

S581A

S581B

Hydraulic NC Panbrake - NC-89 Control S583B

Hydraulic NC Panbrake - NC-89 Control M800

Rubber Mat - Anti-Fatigue









M805

Rubber Mat - Anti-Fatigue

O000

SpillFix Universal Organic Absorbent

O000A

Natural Zeolite Absorbent

O043

Rust & Corrosion Preventive - Penetrant & Lubrication











Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

O042

General Purpose Lubricant & Corrosion Inhibitor

O040

Rust & Corrosion Preventive - Penetrant & Lubrication

O044

Rust & Corrosion Preventive - Penetrant & Lubrication

O004

Superdraulic 46 Hydraulic Oil







