

Product Brochure For D594

BD-360 - Heavy-Duty Bench Drill - Belt Drive

Table Tilts Left & Right To 45° & Rotates 360°
 Ø20mm Drill Capacity with 2MT Spindle Taper

Ex GST
\$470.00

Inc GST
\$517.00



| | |
|----------------------------------|------------|
| ORDER CODE: | D594 |
| MODEL: | BD-360 |
| Type - Bench / Pedestal: | Bench |
| Duty Type: | Heavy-Duty |
| Drilling Diameter Capacity (mm): | Ø20 |
| Spindle Taper (MT): | 2 |
| Spindle Travel (mm): | 85 |
| Throat Depth (mm): | 180 |
| Quill Diameter (mm): | 47 |
| Collar Diameter (mm): | 55 |
| Column Diameter (mm): | 72 |
| Spindle To Table (mm): | 410 |
| Spindle To Base (mm): | 600 |
| Table Shape: | Square |
| Table Size (mm): | 290 |
| Work Light: | Yes |
| Micro Switch On Pulley Guard: | Yes |
| Drive Belt Type: | A Section |
| Spindle Speed Steps (No.): | 12 |
| Spindle Speed Range (rpm): | 280 - 2380 |
| Motor Power (kW / hp): | 0.75 / 1 |
| Voltage / Amperage (V / amp): | 240 / 10 |
| Overall Height (mm): | 1000 |
| Nett Weight (kg): | 55 |



Description

The BD-360 bench drill, heavy duty rated compared to its little brother BD-325 and consequently has a few more user-friendly features. The larger drill head has a work light fitted underneath to shine directly onto your job, the quill diameter is approximately 20% larger to increase accuracy & the square table offers more surface area to work on, and additionally allows T-nuts & clamps to be used on this design. This drilling machine is Ø20mm rated & beneficial for anyone requiring to drill consistent accurate holes and is commonly suited for any home workshop or farm use.

Mostly constructed from cast iron and machined steel to provide superior stability and strength. Powered by a 0.75kW, 1hp, 240-volt induction motor and coupled to a 12-belt speed pulley system offering wide range of speeds between 280-2380rpm. The down feed handle is also made from cast iron in one solid piece design and fitted with soft hand grips for your comfort & convenient drilling depth feed control.

The drill quill is equipped with a 2 morse taper spindle allowing you to fit 2MT drill bits directly to the spindle or 1MT drill bits with an optional adaptor. A quality Ø3-Ø16mm keyed drill chuck with 2MT arbor is included & fitted. The drill table can tilt left or right, rotate 360 degrees and the height is also easily adjusted up or down via rack & pinion hand lever & can be locked into position. Furthermore, the whole table assembly can be swivelled away to allow the machined base to be used as a work support.

The magnetic safety switch with emergency stop is conveniently front mounted for quick access. The drill also includes an adjustable safety drill chuck guard and the belt cover is equipped with a safety switch to ensure safe belt speed changing.

Features

- Ideal for home, workshop or farm use
 - Quiet V-belt drive system
 - Quick action belt tensioning lever
 - Drill chuck key holder mounted on right side of the machine
 - Adjustable safety drilling chuck guard with flip up screen
 - One piece cast iron drilling lever with comfort grips
 - Safety micro switch on pulley guard
 - Safety magnetic-type switch
 - Rack & pinion table height adjustment with locking lever
 - Thick walled column ensuring greater rigidity
 - Table tilts left & right to 45° & rotates 360°
 - Drilling depth stop
 - Work light mounted underneath drill head to provide direct light onto work piece
 - Slotted work table
- 12 Spindle speeds - 280, 420, 440, 550, 620, 660, 1150, 1180, 1400, 1550, 1830, 2380rpm

Product Brochure For D594

- Fan-cooled, copper wound 240V motor

Includes

- 16mm keyed drill chuck and arbor
- Chuck key to suit
- Drill drift tool to remove drill chuck or taper shank drills

Optional Accessories

- Replacement 16mm Drill Chuck (C290)
- Replacement 2MT x JT3 Arbor (D442A)

Specific Features



Left View



Magnetic Switch



Emergency Stop Switch and Light Switch



Work Light



Adjustable Safety Chuck Guard with Flip Up Screen



Safety Chuck Guard Flipped Up



1 Piece Cast Iron Drilling Lever



80mm Spindle Travel



Drilling Depth Stop Setting With Scale



Safety Micro Switch on Pulley Guard



Head Side View



A Section Belt Drive System

Product Brochure For D594



Chuck Key Holder



Belt Tension Lever and Lock



Speed Chart

A speed chart with a blue background. It features a grid of 16 small icons, each representing a different drill size and its corresponding RPM. The RPM values are: 280, 420, 550, 1150, 440, 660, 1180, 1550, 620, 1400, 1830, and 2380.

| Speed Chart (RPM) and Recommendations | | | | | | |
|---------------------------------------|-------------|--------|--------|-------|------|-------|
| Imp. | Metric | S/Wood | H/Wood | Brass | Alum | Steel |
| 1/16 - 3/16 | 1.5 - 4.8 | 3000 | 3000 | 3000 | 3000 | 3000 |
| 1/4 - 3/8 | 6.0 - 10.0 | 3000 | 1500 | 1200 | 2500 | 1000 |
| 7/16 - 5/8 | 11.0 - 16.0 | 1500 | 750 | 750 | 1500 | 600 |
| 11/16 - 1 | 22.0 - 25.0 | 750 | 500 | 400 | 1000 | 350 |
| 1 1/8 - 1 1/4 | 28.5 - 32.0 | 750 | 250 | 400 | 700 | 250 |

Recommended Speed for Drill Size and Material



Tilting and Rotating Cast Iron Table



Work Table



Table Height Adjustment Crank



Base



Drill Drift

Recommended Accessories

D199
VAZEY Drill Press Table



W3425
Drill Press Roller Support



P220
Gravity Feed Coolant System



S090A
Soluble Metal Cutting Fluid - 1
Litre



C086
Clamp Kit Tee Nuts



L300
Magnetic Swarf Remover



M9991
Magnetic Floor Sweeper



D1272
Metric Precision HSS Drill Set -
25 Piece



Product Brochure For D594

D1282
Imperial Precision HSS Drill Set
- 29 Piece



D126
Metric Precision HSS Drill Set -
170 Pieces



D1171
Metric Industrial HSS Reduced
Shank Drill Set



D1181
Imperial Industrial HSS Reduced
Shank Drill Set



D117
Metric HSS Reduced Shank Drill
Set



P090
Pipe & Tube Notcher
Attachment



V124
Drill Press Vice



V144
Drill Press Vice



V145
Drill Press Vice




V141
Safeway Precision Drill Press
Vice



V114
Tilting Drill Press Vice



V120
Compound Drill Vice



Product Brochure For D594

V1204
Compound Drill Vice



V1205
Compound Drill Vice



T002
Reversible Tapping Chuck



C292
Industrial Drill Chuck - Keyless Type



C294
Industrial Drill Chuck - Keyless Type



D442
2MT x JT6 Drill Chuck Arbor



D442A
2MT x JT3 Drill Chuck Arbor



O000
SpillFix Universal Organic Absorbent



O000A
Natural Zeolite Absorbent



O043
Rust & Corrosion Preventive - Penetrant & Lubricant



O042
General Purpose Lubricant & Corrosion Inhibitor



O040
Rust & Corrosion Preventive - Penetrant & Lubricant



Product Brochure For D594

O044

Rust & Corrosion Preventive -
Penetrant & Lubrication



M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue

