

Product Brochure For S581A

PB-440 - Hydraulic NC Panbrake - NC-89 Control

1300 x 4mm Mild Steel Bending Capacity

Back In Stock Soon

Ex GST

Inc GST

\$12,450.00 \$13,695.00



ORDER CODE:	S581A
MODEL:	PB-440
Controller Type:	NC-89 Single Program
Bending Length (mm):	1300
Mild Steel Capacity (mm):	4
Stainless Steel Capacity (mm):	2
Material Clamping Type:	Hydraulic Clamp
Material Bending Type:	Hydraulic Bend
Bending Angle Indicator (deg):	0-125°
Backgauge Travel (mm):	1000
Motor (kW / hp):	4 / 5.3
Voltage / Amperage (V / amp):	415
Floor Space (L x W x H) (mm):	1890 x 1320 x 1385
Nett Weight (kg):	1220

METALMASTER



Features

- 1300mm x 4mm bending capacity
- NC-89 digital single angle programmable control for angles from 0-125°
- Auto cycle: after clamping bottom beam will bend to pre-set angle and return, head unclamps to set position
- Quick action rapid head adjustment to optimise bend radius on 1-4mm material thickness
- Heavy duty steel fabricated construction
- Roving foot pedal incorporates control panel for maximum flexibility
- High quality components ensure reliable performance for years of continuous operation
- NC-89 controlled opening height adjustment
- NC-89 controlled dwell timer ensures consistent bending angle
- Extended fingers allows bending of pans or boxes to a depth of 230mm
- Includes an adjustable rear manual backgauge, also adjustable for tapered material
- Mild steel capacity is rated on hot rolled material with 250MPA
- Pre-Commissioning:
 1. Panbrake bender is run & tested prior delivery
 2. Hydraulic oil is included with machine

Product Brochure For S581A

Specific Features



NC 89 Control Panel



Rear Side View



Rear View



Rear Back Gauge



Removeable Fingers



Rapid Blade Adjustment for Material Thickness



Apron Safety Guard



Foot Control

Recommended Accessories

S581B

Hydraulic NC Panbrake - NC-89 Control

S583B

Hydraulic NC Panbrake - NC-89 Control

S584A

Hydraulic NC Panbrake - NC-89 Control


M800

Rubber Mat - Anti-Fatigue



Product Brochure For S581A

M805
 Rubber Mat - Anti-Fatigue



O000
 SpillFix Universal Organic Absorbent



O000A
 Natural Zeolite Absorbent



O043
 Rust & Corrosion Preventive - Penetrant & Lubrication



O042
 General Purpose Lubricant & Corrosion Inhibitor



O040
 Rust & Corrosion Preventive - Penetrant & Lubrication



O044
 Rust & Corrosion Preventive - Penetrant & Lubrication



O004
 Superdraulic 46 Hydraulic Oil

