

Product Brochure For B067

EB-320DS - Swivel Head-Dual Mitre Metal Cutting Band Saw

Dual Mitre Cuts Up To 60°, Quick Action Material Clamp & Includes Hydraulic Downfeed Control
 310 x 205mm (W x H) Rectangle Capacity

Ex GST **Inc GST**
\$5,990.00 **\$6,589.00**



ORDER CODE:	B067
MODEL:	EB-320DS
Operation Type:	Swivel Head - Dual Mitre
Round @ 90° (mm):	255
Round @ 45° (mm):	220
Round @ 60° (mm):	125
Square @ 90° (mm):	205
Square @ 45° (mm):	200
Square @ 60° (mm):	125
Rectangle (W x H) @ 90° (mm):	310 x 205
Rectangle (W x H) @ 45° (mm):	205 x 200
Rectangle (W x H) @ 60° (mm):	125 x 125
Coolant System:	Yes
Table Working Height (mm):	950
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	-
Blade Steps / Speeds (m/min):	35-70
Blade Size (L x W x T) (mm):	2750 x 27 x 0.9
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	371



Description

Manufactured in Taiwan

Features

- 310 x 205mm rectangular capacity
- Larger cutting capacity than conventional cold saws
- Heavy-duty gear drive system
- Ball bearing & carbide blade guides ensures minimal blade clearance wear and increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Swivel head dual mitre cut to 45° right & left, 60° right
- Quick action lock/release lever for swivel head
- Coolant system for cutting efficiency and blade life
- Material support roller for long stock
- Adjustable length stop for repetition cutting
- User friendly blade tension system with gauge
- Adjustable hydraulic cylinder for auto feed
- 2-speed motor enabling blade speeds of 35 & 70mpm
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated cooling fitted as standard
- Quick-action lock/release vice
- Unique sliding vice design for dual mitre operation

Product Brochure For B067

Specific Features




Adjustable Automatic Feed



Blade Tension Gauge



Control Panel




Dual Mitre Swivel Head



Motor and Gearbox Drive



Quick Action Clamp Lever



Wire Wheel and Roller Bearing Blade Guides



Coolant System

Recommended Accessories

B530

Metal Band Saw Blade - 4-6TPI
 Bi-Metal, Blade - 2750 x 27 x
 0.9mm



B531

Metal Band Saw Blade -
 6-10TPI Bi-Metal, Blade - 2750 x
 27 x 0.9mm



B532

Metal Band Saw Blade -
 10-14TPI Bi-Metal, Blade - 2750
 x 27 x 0.9mm



S091

Soluble Metal Cutting Fluid - 20
 Litre



Product Brochure For B067

S090A
 Soluble Metal Cutting Fluid - 1 Litre



S090
 Soluble Metal Cutting Fluid - 5 Litre



S076
 Cutting Tool Lubricant Fluid - 500ml



S077
 Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075
 Cutting Tool Lubricant Paste - 200g



S074
 Cutting Tool Lubricant Paste - 500g



L300
 Magnetic Swarf Remover



M9991
 Magnetic Floor Sweeper



L812
 Roller Conveyor



L814
 Roller Conveyor Stand



O000
 SpillFix Universal Organic Absorbent



O000A
 Natural Zeolite Absorbent



Product Brochure For B067

O043

Rust & Corrosion Preventive - Penetrant & Lubrication



O042

General Purpose Lubricant & Corrosion Inhibitor



O040

Rust & Corrosion Preventive - Penetrant & Lubrication



O044

Rust & Corrosion Preventive - Penetrant & Lubrication

