

Product Brochure For W414

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

T-380A - Thicknesser - HSS Blades

380 x 150mm (W x H) Material Capacity Includes 3 x High Speed Steel Blades











Ex GST Inc GST \$2,190.00 \$2,409.00

ORDER CODE:	W414
MODEL:	T-380A
Material Width Capacity (mm):	380
Material Height Capacity (mm):	150
Minimum Material Length (mm):	175
Maximum Depth of Cut (mm):	2mm @ 380mm wide
Cutter Type:	HSS Blades - Straight
Quantity of Cutters (No. x Type):	3 x Blades
Cutter Block Diameter (mm):	73
Cutter Block Speed (rpm):	5000
Quantity of Spirals (No.):	~
Length of Table (mm):	520
Length of Table with Extensions/Rollers (mm):	1015
Feed Speed (m/min):	4.8 / 6
Dust Outlet Diameter (mm):	100
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 15
Floor Space (W x D x H) (mm):	770 x 1015 x 1100
Floor Space With Option Stand (W x D x H) (mm):	~
Nett Weight:	230

Description

The Hafco T-380 thicknesser manufactured in Taiwan with three knife cutter head is a heavy duty machine with very substantial cast iron body and heavy gauge sheet steel base. The cast iron thicknessing table which has a polished surface to help timber slide freely as well as to help reduced vibration to improved quality of cut.

The cutter head is supported by 4 x solid pillars at each corner and the steel drive rollers have ribbing to ensure positive grip on the timber through the machine via two speed gearbox at a rate of 16 or 20fpm. The feed roller pressure can be adjusted with the four adjusters on the top of the machine. The depth of cut is set by means of the cranked handle on the side using the setting scale positioned on the in-feed side or digital readout.

Power is provided by a 1500W / 2hp 240V induction motor, housed within the base and transmitting power to the cutter block via a twin pulley vee belt drive system.

Features

- 380mm wide x 150mm high timber capacity
- Digital Height Gauge (Includes LR44 battery)
- Motor located in enclosed stand ensuring effortless rise/fall & less wear to mechanical components
- Solid cast iron construction
- 3 x HSS blades pre-set in cutter head with quick action blade change
- Left side table locking dials
- 2 speed gearbox
- 100mm dust chute
- Same model sold for over 20 years
- Quality Taiwanese Manufacturer



Product Brochure For W414

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Specific Features



Robust 4 Post Design



Digital Height Readout



Feed Return Rollers



2 Speed Feed Gearbox



Feed Supports



W414 Side View



On Off Switch

Recommended Accessories

2WK0105 BLADE SET HSS PKT 3 W752 Spiral Cutter Head - Carbide Inserts W394 Dust Collector W344 Wood Dust Accessory Kit











Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Product Brochure For W414

W334
Dust Hose Reducer


W333 Dust Hose Reducer

W335 Dust Hose Shut Off Valve

W336 Dust Hose Elbow









W337 Dust Hose Y Adaptor

W338
Dust Hose Universal Dust Hood

W339 Dust Hose Floor Sweeper Attachment

W340 Dust Hose Clamp









W398 PVC Dust Hose (Sold Per Metre)

W930 Mobile Base

W931 Mobile Base - Heavy Duty

W343 Roller Stand











Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Product Brochure For W414

W343A Roller Stand W3434 Roller Stand



