

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

Product Brochure For S581B

sales@machineryhouse.com.au www.machineryhouse.com.au

PB-460 - Hydraulic NC Panbrake - NC-89 Control

1300 x 6mm Mild Steel Bending Capacity

ALMASTE

Ex GST Inc GST \$17.450.00 \$19.195.00

÷··;···· +	
ORDER CODE:	S581B
MODEL:	PB-460
Controller Type:	NC-89 Single Program
Bending Length (mm):	1300
Mild Steel Capacity (mm):	6
Stainless Steel Capacity (mm):	3
Material Clamping Type:	Hydraulic Clamp
Material Bending Type:	Hydraulic Bend
Bending Angle Indicator (deg):	0-125º
Backgauge Travel (mm):	1000
Motor (kW / hp):	4 / 5.3
Voltage / Amperage (V / amp):	415
Floor Space (L x W x H) (mm):	~
Nett Weight (kg):	1654



Features

- 1300mm x 6mm bending capacity
- 1300mm x 6mm bending capacity NC-89 digital single angle programmable control for angles from 0-125° Auto cycle: after clamping bottom beam will bend to pre-set angle and return, head unclamps to set position Quick action rapid head adjustment to optimise bend radius on 1-6mm material thickness Heavy duty steel fabricated construction Roving foot pedal incorporates control panel for maximum flexibility High quality components ensure reliable performance for years of continuous operation NC-89 controlled opening height adjustment NC-89 controlled dwell timer ensures consistent bending angle Extended fingers allows bending of pans or boxes to a deoth of 190mm

- .
- Extended fingers allows bending of pans or boxes to a depth of 190mm Includes an adjustable rear manual backgauge, also adjustable for tapered material •
- Mild steel capacity is rated on hot rolled material with 250MPA •
- Pre-Commissioning: .
- 1. Panbrake bender is run & tested prior delivery
- 2. Hydraulic oil is included with machine



Product Brochure For S581B


Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Specific Features



NC 89 Control Panel



Removable Fingers



Rapid Blade Adjustment For Material Thickness F







Shown with Optional Ball Transfer Tables - Order Code (L840)

Recommended Accessories

S581A Hydraulic NC Panbrake - NC-89 Control S583B Hydraulic NC Panbrake - NC-89 Control S584A Hydraulic NC Panbrake - NC-89 Control

M800 Rubber Mat - Anti-Fatigue






Product Brochure For S581B

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

M805 Rubber Mat - Anti-Fatigue O000 SpillFix Universal Organic Absorbent O000A Natural Zeolite Absorbent O043 Rust & Corrosion Preventive -Penetrant & Lubrication









O042 General Purpose Lubricant & Corrosion Inhibitor

O040 Rust & Corrosion Preventive -Penetrant & Lubrication



Rust & Corrosion Preventive -Penetrant & Lubrication

O044









