

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au

www.machineryhouse.com.au

Product Brochure For D9502

D9502 - 2MT Broach Cutter Adaptor

Ø12 ~ Ø50mm Suits 2MT Drilling Machines



Ex GST	Inc GST
\$100.00	\$110.00

ORDER CODE:	D9502
Taper Size (MT):	2MT
Cutter Shank Size (mm):	19
Overall Length (mm):	210
Extension (mm):	110





Description

2MT adaptor to suit broach cutters with 19mm shanks. Ideal for bench and pedestal drills where large holes to 50mm need to be produced. The adaptor will hold 12 ~ 50mm broach cutters, but using cutters over 25mm will depend on the power and strength of the machine.

Note! Cutters not included Note! Coolant must be used when using the cutters

Features

- Internal rotary coolant coupler
- Coolant bottle and hose



Product Brochure For D9502

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Specific Features



Shown Mounted to Drilling Machine

Recommended Accessories

D109 HSS Broach Drill Set - 6 Piece M800 Rubber Mat - Anti-Fatigue



Rubber Mat - Anti-Fatigue

M805



Soluble Metal Cutting Fluid - 1

S090A

Litre

S090 Soluble Metal Cutting Fluid - 5 Litre



S076 Cutting Tool Lubricant Fluid -500ml

Fluie

S077 Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



25% bree Spray Spray Marca a caracter Ma S075 Cutting Tool Lubricant Paste -200g



02/07/2023 7:25 AM

Specifications and prices are subject to change without notification

Page 2 of 3



Product Brochure For D9502

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

S074 Cutting Tool Lubricant Paste -500g O000 SpillFix Universal Organic Absorbent O000A Natural Zeolite Absorbent O043 Rust & Corrosion Preventive -Penetrant & Lubrication









O042 General Purpose Lubricant & Corrosion Inhibitor





O044

Rust & Corrosion Preventive -Penetrant & Lubrication

