

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Product Brochure For P196L

PM-80T-ANC - CNC Punching Machine

80 Tonne Includes CNC Programmable Positioning Table 6000mm



Please Call	
ORDER CODE:	P196L
MODEL:	PM-80T-ANC
Punching Pressure (Tonne):	80
Punching Table Feed (Type):	CNC Positioning
Punching Table Dimensions (mm):	6000 (X-Axis)
Punching Ø x Thickness Capacity - Mild Steel (mm):	Ø30 x 15
Channel Flange Punching (h) (mm):	~
Throat Depth (mm):	310
Maximum Stroke Length (mm):	100
Cycle/min (20mm Stroke) (cpm):	28
Table Working Height (mm):	1050
Motor Power (kW / hp):	5.6 / 7.5
Voltage (V):	415
Nett Weight (kg):	2300



Description

The Sunrise Punching Machines are manufactured in Taiwan, also known as Ironworkers are well recognised in our Australian market for the machines being reliable & durable due to their structurally well manufactured unique design & engineering excellence. Sunrise is ISO-9001 certified by BVQI, and our products meet the CE safety requirements and regulations. Sunrise relentlessly seeks continuous improvement and product development to keep a step ahead of their competitors

CNC Feeding System - For Angles, Channel Webs, and Flat Plates

Features

- The user friendly Delta 7" colour touch-screen controller with pre-set patterns makes programming a simple task The new version of ANC is a fully automatic single-axis in-feed system for punching angles, channel webs, and flat plates, available in 6000mm X-axis travel distance
- The main frame of the ANC is a heavily proportioned machined structural steel tube that provides unmatched rigidity and quality, yet offers simple set-up, adjustment and maintenance
- The ANC features a hydraulic stripper as well as pneumatic material clamping for fully automatic operation
- In-feed roller tables and support stand are included for full support of the material
- Specially designed strippers and punching accessories for processing a wide variety of materials
- The highly precise gear drive components provide excellent accuracy, repeatability and efficiency
- Pre-Commissioning:
- 1. Punching machine is run & tested prior delivery
- 2. Hydraulic oil is included with machine

Includes

Fully-automatic CNC table 6000mm (X-Axis)



Product Brochure For P196L

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Specific Features





Full View

Punching Head



Gear Drive Feed

Recommended Accessories

P163 Laser Guide System P165 Ø6-26mm Round Punch & Dies Set P166 Ø11-40mm Round Punch & Dies Set M800 Rubber Mat - Anti-Fatigue







M805 Rubber Mat - Anti-Fatigue O000 SpillFix Universal Organic Absorbent O000A Natural Zeolite Absorbent

GARRICK

atural Zeolite

22 litres

O043 Rust & Corrosion Preventive -Penetrant & Lubrication





Specifications and prices are subject to change without notification




Product Brochure For P196L

O042

General Purpose Lubricant & Corrosion Inhibitor



O040 Rust & Corrosion Preventive -Penetrant & Lubrication O044 Rust & Corrosion Preventive -Penetrant & Lubrication



Sydney: (02) 9890 9111

Perth: (08) 9373 9999

Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422

O004 Superdraulic 46 Hydraulic Oil





22/07/2023 7:04 AM Specifications and prices are subject to change without notification