

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Product Brochure For K053

ST-254PT - Table Saw Package Deal

560 x 800mm Cast Iron Table Ø254mm Saw Blade & Includes 1500mm Sliding Table



Package Deal	
	Ex GST

Inc GST \$2,290.00 \$2,519.00

1 x W487 - ST-254T Sliding Table \$825.00 Normal Price (Inc): \$2,684.00 ORDER CODE: K053 MODEL: ST-254PT Blade Diameter (mm): Ø254 Table Size (W x H) (mm): 560 x 800 Table Size With Extensions (mm): 1170 x 800 Max. Depth Of Cut 90° & 45° (mm): 75 / 60 Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100	Package Contents - SAVE \$165.00 (Inc)		
ORDER CODE: K053 MODEL: ST-254PT Blade Diameter (mm): Ø254 Table Size (W x H) (mm): 560 x 800 Table Size With Extensions (mm): 1170 x 800 Max. Depth Of Cut 90° & 45° (mm): 1170 x 800 Max. Depth Of Cut 90° & 45° (mm): 75 / 60 Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100 (mm): 2150		\$1,859.00 \$825.00	
MODEL: ST-254PT Blade Diameter (mm): Ø254 Table Size (W x H) (mm): 560 x 800 Table Size With Extensions (mm): 1170 x 800 Max. Depth Of Cut 90° & 45° (mm): 75 / 60 Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100	Normal Price	(Inc): \$2,684.00	
Blade Diameter (mm): Ø254 Table Size (W x H) (mm): 560 x 800 Table Size With Extensions (mm): 1170 x 800 Max. Depth Of Cut 90° & 45° (mm): 75 / 60 Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100	ORDER CODE:	K053	
Table Size (W x H) (mm): 560 x 800 Table Size With Extensions (mm): 1170 x 800 Max. Depth Of Cut 90° & 45° (mm): 75 / 60 Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100	MODEL:	ST-254PT	
Table Size With Extensions (mm): 1170 x 800 Max. Depth Of Cut 90° & 45° (mm): 75 / 60 Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100	Blade Diameter (mm):	Ø254	
Max. Depth Of Cut 90° & 45° (mm): 75 / 60 Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Cross Cut with Extension Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100	Table Size (W x H) (mm):	560 x 800	
Scribe Blade Diameter (mm): ~ Tilt Arbor To 45°: Yes Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Cross Cut with Extension Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100 (mm): 2	Table Size With Extensions (mm):	1170 x 800	
Tilt Arbor To 45°:YesSliding Table Stroke (mm):1500Cross Cut with Flip Over Stop (mm):~Cross Cut with Extension Stop (mm):~Rip Capacity (mm):950Motor Power (kW / hp):2.2 / 3Voltage / Amperage (V / amp):240 / 10Floor Space Required (W x D x H)2750 x 2280 x 1100(mm):100	Max. Depth Of Cut 90º & 45º (mm):	75 / 60	
Sliding Table Stroke (mm): 1500 Cross Cut with Flip Over Stop (mm): ~ Cross Cut with Extension Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100	Scribe Blade Diameter (mm):	~	
Cross Cut with Flip Over Stop (mm): ~ Cross Cut with Extension Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100 (mm): 2750 x 2280 x 1100	Tilt Arbor To 45°:	Yes	
Cross Cut with Extension Stop (mm): ~ Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100 (mm): 2750 x 2280 x 1100	Sliding Table Stroke (mm):	1500	
Rip Capacity (mm): 950 Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100 (mm): 210 x 200 x 100	Cross Cut with Flip Over Stop (mm):	~	
Motor Power (kW / hp): 2.2 / 3 Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) (mm): 2750 x 2280 x 1100	Cross Cut with Extension Stop (mm):	~	
Voltage / Amperage (V / amp): 240 / 10 Floor Space Required (W x D x H) 2750 x 2280 x 1100 (mm): 2750 x 2280 x 1100	Rip Capacity (mm):	950	
Floor Space Required (W x D x H) 2750 x 2280 x 1100 (mm):	Motor Power (kW / hp):	2.2/3	
_(mm):	Voltage / Amperage (V / amp):	240 / 10	
Weight (nett) (kg): 233.5		2750 x 2280 x 1100	
	Weight (nett) (kg):	233.5	

Description

OODMASTER

The ST-254 Table Saw is an established, robust, and smooth operating machine that is constructed largely from cast iron and the box section stand is made up of heavy gauge steel. The 254mm blade gives a cutting depth of up to 75mm at 90?& 60mm at 45? and adequately powered by a 2.2kW / 3hp - 240V 10-amp induction motor.

The cast iron table provides great strength and rigidity as well as a smooth user-friendly working surface. The micro adjustable rip fence is full length and cam locked solidly onto rails at the front and back of the table and can be used both sides of the blade. A mitre guide included slides in a T-slot grooves in the table on either side of the blade. Both the blade height and tilt controls have large handles that are conveniently located on front & side of the table saw.

The ST-254T 1500mm sliding table thats included in this package deal makes this machine even more versatile with its capabilities. The cast iron saw table also has solid cast iron table extension supports that are both mounted on the right side of the table and measures an attractive 1170 x 800mm in total. Dust can be removed via a 100mm dust port outlet at rear of machine and the saw guard when connected to a suitable high-volume extraction system.

Features

- ST-254 Table Saw (W486)
- Large 560 x 800mm cast iron table
- 1170 x 800mm with side extensions 254mm TCT saw blade
- 100mm dust collector port
- 75mm depth of cut at 90°
- 60mm depth of cut at 45°
- Dust proof magnetic switch Tilt arbor to 45°
- Powerful 2.2kW / 3hp, 240V induction motor .
- Includes heavy duty rip fence with micro-adjustment, operated left or right of blade .
- Dust extraction at the top of the blade as well as 100mm chute from the enclosed stand
- ST-254T Sliding Table (W487)
- 1500mm sliding travel
- 500 x 400mm aluminium table
- Aluminium rail with steel guides & roller bearings
- Includes mitre guide, work clamp & flip over stop.



Product Brochure For K053

Includes

Table Saw

- 1500mm sliding table (W487) Heavy duty rip fence •
- •
- Mitre guide Material push stick •

Specific Features





Shown with Tables Fitted to Left and Right Side



Left View of Machine



Blade Adjustment Handles



Dust Chute





Mitre Guide







Blade Angle Adjustment

Heavy Duty Rip Fence with Micro Adjustment Material Clamp with Adjustable Guide





Switch

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au



Product Brochure For K053

Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Recommended Accessories

W311 Ripping Gauge W309 Safety Push Blocks & Stick Set W486 Table Saw W487 Sliding Table



W952 Wood Band Saw

W332 Dust Collector



W394 Dust Collector





Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

Product Brochure For K053

W930 Mobile Base W931 Mobile Base - Heavy Duty W344 Wood Dust Accessory Kit W334 Dust Hose Reducer








W333 Dust Hose Reducer

W335 Dust Hose Shut Off Valve

W336 Dust Hose Elbow

W337 Dust Hose Y Adaptor







W338 Dust Hose Universal Dust Hood

W339 Dust Hose Floor Sweeper Attachment W340 Dust Hose Clamp W398 PVC Dust Hose (Sold Per Metre)











Product Brochure For K053

W343 Roller Stand W343A Roller Stand W3434 Roller Stand









Sydney: (02) 9890 9111 Brisbane: (07) 3715 2200 Melbourne: (03) 9212 4422 Perth: (08) 9373 9999

sales@machineryhouse.com.au www.machineryhouse.com.au

M977

Digital Bevel Box