

Product Brochure For W4344

BP-480 - Wood Band Saw

2 Blade Speeds - 488 & 1010m/min & Includes Magnetic Safety Brake System - 240V
 465mm Throat Depth x 310mm Height Capacity



Ex GST
\$3,290.00

Inc GST
\$3,619.00

ORDER CODE:	W4344
MODEL:	BP-480
Wheel Diameter (Ø) (mm):	480
Throat Capacity (mm):	465
Height Capacity (mm):	310
Table Size (mm):	480 x 480
Frame Type:	Steel
Motor Power (kW / hp):	1.5 / 2 [with Brake System]
Voltage / Amperage (V / amp):	240 / 15
Blade Code (Suits):	W434A, W434B
Blade Size (L x W x T) (mm):	3630 x 19 x 0.80
Floor Space (W x D x H) (mm):	960 x 850 x 1935
Nett Weight (kg):	174



Description

The BP-480 is the big brother of the BP-430 bandsaw and offers a large capable cutting capacity of 465mm depth x 310mm height. The powerful 1500W, 2hp brake 240V motor stops very quickly when activated, it drives a 2-speed pulley system that allows you to cut a wide variety of timber sections. The welded steel frame is extraordinary rigid allowing for higher blade tension with a quick release blade tensioning lever that substantially speeds up the process of changing the blade.

The BP-480 also manufactured in Taiwan offers excellent safety features including interlocked blade guard doors, safety magnetic nvr power switch, twin extraction ports and is all compliant to CE standard. The cast iron table and heavy-duty ball bearing blade guides are included, along with a rigid rip fence and precision mitre fence.

Worm gear systems incorporated for both table tilting and blade guidepost movement are used for quick & easy adjustment. Another very important feature that is also often forgotten is that the machine offers cast iron blade wheels that are balanced for smooth running and helps eliminate excessive vibration.

An often overlooked feature is the ease of changing the blade; The BP-480 has a quick release blade tensioning lever which substantially speeds up the process of blade changing. Two belt speeds offer the right speed of 488 & 1010m/min. for cutting either a large or small job.

Features

- 1500W / 2hp 240V brake motor
- 2-speed 488/1010m/min
- 465mm throat capacity,
- 480mm heavy duty cast iron wheels
- Magnetic NVR on/off switch
- Micro-switch protection on hinged blade guard doors
- Ball bearing blade guides
- Quick-action blade tension
- Rack & pinion adjustment on top blade guide
- Twin 100mm dust chutes
- Cast iron table tilts to 45°
- CE safety standard compliant
- Quality Taiwanese manufacture


Includes

- Mitre guide

Product Brochure For W4344

- Aluminium rip fence

Specific Features



Bearing blade guides



Blade Tension Sight Indicator



Heavy Duty Cast Iron Wheels



Cast Iron Table Tilts to 45 Degrees



Switch




Sliding Rip Fence




Rip Fence Closup



Blade Tension View Window



Mitre Guide



100mm Dust Chute



Rear Dust Chute



Safety Micro Switch on Doors

Product Brochure For W4344

sales@machineryhouse.com.au
 www.machineryhouse.com.au

Recommended Accessories

W434A

Wood Band Saw Blade - 6TPI,
 Blade - 3630 x 19 x 0.8mm



W434B

Wood Band Saw Blade - 3TPI,
 Blade - 3630 x 19 x 0.8mm



W309

Safety Push Blocks & Stick Set



W308

Mitre Gauge & Fence



W394

Dust Collector



W930

Mobile Base



W931

Mobile Base - Heavy Duty



W344

Wood Dust Accessory Kit



Product Brochure For W4344

W334
 Dust Hose Reducer



W333
 Dust Hose Reducer



W335
 Dust Hose Shut Off Valve



W336
 Dust Hose Elbow



W337
 Dust Hose Y Adaptor



W338
 Dust Hose Universal Dust Hood



W339
 Dust Hose Floor Sweeper Attachment



W340
 Dust Hose Clamp



W398
 PVC Dust Hose (Sold Per Metre)



W343
 Roller Stand



W343A
 Roller Stand



W3434
 Roller Stand

