

Product Brochure For D165

RAD-900 - Radial Arm Drill

Ø38mm Drilling Capacity
 290 - 920mm Spindle To Column

Ex GST **Inc GST**
\$16,750.00 **\$18,425.00**



ORDER CODE:	D165
MODEL:	RAD-900
Drill Capacity (mm):	Ø38
Thread Tapping Capacity:	M20
Spindle Taper (MT):	4
Spindle Travel (mm):	200
Quill Diameter (mm):	70
Spindle To Column (min-max) (mm):	290 - 910
Spindle To Box Table (max) (mm):	785
Spindle To Base (max) (mm):	1110
Table Type:	Square
Box Table Size (LxWxH) (mm):	550 x 405 x 315
T-slot Size (mm):	20
Automatic Quill Feed (mm/rev):	(0.05, 0.09, 0.15)
Work Light:	Yes
Coolant System:	Yes
Spindle Speed Steps (No.):	6
Spindle Speed Range (rpm):	88 - 1500
Motor Power (kW / hp):	1.5 / 2
Motor Voltage (V):	415
Nett Weight (kg):	1270



Description

The RAD-900 Radial Arm Drill made in one of our precision top quality factories located in Taiwan, and has proven to be a very popular & favourable machine in the Tool & Die manufacturing industry. The machine base top surface and box table have been ground finished to perfection offering superior parallelism & squareness to achieve the highest of accuracy that is required by the professional tool maker. This machine also has an auto power feed system, with 3 speeds to select from and are relevant to revs per minute, coolant system with flexible hose & nozzle, this drill is known for its quiet & smooth operation for the past 20 years.

The user-friendly unique 4-way joystick control operates the spindle speed direction and the rise and lowering of the head. The machine is also fitted with an amp load metre providing direct and instant load feedback on your current drilling job. The front control panel has a very helpful drilling chart with suggested speeds to use on the different material types with the corresponding drill bit size, this is a general guide from where to begin as each job must be adjusted individually.

Features

- Precision Taiwanese manufactured radial drilling machines
- 4-way joystick control for motorised arm rise/fall & forward/reverse spindle direction
- 3 Speed auto down-feed: 0.05, 0.09, 0.15(mm/rev)
- Coolant pump system with flexible hose
- Amp meter providing direct reading of spindle load during operation
- Work light mounted underneath arm providing direct light on work piece
- Heavy duty tee-slotted work table
- Oil-bath lubricated gear drive
- Micro down feed hand wheel for quill
- Wear strip on arm ensuring greater wear resistance whilst maintaining head rigidity
- Quiet and smooth operation
- Reliability - sold for over 20 years
- Manufactured in Taiwan

Product Brochure For D165

Specific Features



Front View



Control Panel



4 Way Joy Stick Control for Arm Rise-Fall-Spindle Direction



Auto Down Feed and Speed Chart



Quill Handle




Micro Down Feed Hand Wheel



Speed Selectors



Safety Chuck Guard



Quill



Motor-Head Clamp




Oil Level



Foot Mounting Points



Head Front View



Coolant Hose



Coolant System




T Slotted Base-Box Table

Product Brochure For D165

sales@machineryhouse.com.au
www.machineryhouse.com.au



Box Table



Arm Swivel Clamp



Arm Stop



Base Clamp



Motorised Arm Rise and Fall



Head Right View



Head Left View



Rear View



Left View

Product Brochure For D165

Recommended Accessories

V155
 Drill Press Vice

V158
 Drill Press Vice

V138
 Drill Press Vice

V139
 Drill Press Vice



D339
 4MT Taper Shank Drill - HSS

D424
 Drill Sleeve - Morse Taper

S090A
 Soluble Metal Cutting Fluid - 1
 Litre

S090
 Soluble Metal Cutting Fluid - 5
 Litre



Product Brochure For D165

S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S075

Cutting Tool Lubricant Paste - 200g



S074

Cutting Tool Lubricant Paste - 500g



L300

Magnetic Swarf Remover



M9991

Magnetic Floor Sweeper




M800

Rubber Mat - Anti-Fatigue



M805

Rubber Mat - Anti-Fatigue



O000

SpillFix Universal Organic Absorbent



O000A

Natural Zeolite Absorbent



O043

Rust & Corrosion Preventive - Penetrant & Lubricant



O042

General Purpose Lubricant & Corrosion Inhibitor



Product Brochure For D165

O040

Rust & Corrosion Preventive -
Penetrant & Lubrication



O044

Rust & Corrosion Preventive -
Penetrant & Lubrication

