

## IW-45M - Hydraulic Punch & Shear - 45 Tonne

Single Hydraulic Cylinder System  
 Includes 6 Sets of Round Punches & Dies

**Back In Stock Soon**

Ex GST

Inc GST

**\$11,150.00**    **\$12,265.00**



ORDER CODE:	P170A
MODEL:	IW-45M
Punching Pressure (Tonne):	45
Punching Table Type:	Manual with Guides and Adjustable Stops
Punching (Diameter x Thickness) - MS (mm):	Ø22 x 15, Ø40 x 8
Punching Throat Depth (mm):	175
Punching Maximum Stroke Length (mm):	35
Punching Cycles (15mm Stroke) - MS (cpm):	31
Punching Work Table Height (mm):	970
Flat Bar Shear (W x Thickness) - MS (mm):	350 x 8, 180 x 12
Flat Bar Shear - Blade Length - MS (mm):	360
Flat Bar Shear Work Table Height (mm):	970
Angle Shear 90° - MS (mm):	80 x 80 x 8
Angle Shear 45° - MS (mm):	50 x 50 x 6
Angle Flange Trim (mm):	75
Angle Shear Work Table Height (mm):	1120
Round Solid Bar Shear - MS (mm):	Ø25
Square Solid Bar Shear - MS (mm):	25 x 25
Solid Bar Shear Work Table Height (mm):	1190
Notching - Rectangle - MS (mm):	~
Notching Work Table Height (mm):	~
Multi Vee Die Block (mm):	~
Vee Opening Sizes (mm):	~
Max. Tonne Capacity (T):	~
Bending Work Table Height (mm):	~
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 15
Nett Weight (kg):	930

### Description

The Sunrise Punch & Shears are manufactured in Taiwan, also known as Ironworkers are well recognised in our Australian market for the machines being reliable & durable due to their structurally well manufactured unique design & engineering excellence. Sunrise is ISO-9001 certified by BVQI, and our products meet the CE safety requirements and regulations. Sunrise relentlessly seeks continuous improvement and product development to keep a step ahead of their competitors.

The hydraulic system & components that drives the shearing beam & punching head is considerably very quiet compared to most other machines and operates efficiently smooth in all modes. The electrical components & DC control circuit are operated at a low 24 volt system & provides full protection & safety with in the separate key locked cabinet.

The Sunrise machines have proven themselves over & over again to provide trouble free service for many years in production and we have references all around Australia to verify our statement.

### Features

- Punching capacity up to 40mm standard
- Power inching for easy job set up
- Adjustable stroke for faster punching
- Punch table and shear table both fitted with guides as standard
- All work stations guarded
- Most cutting blades are four-sided for long life
- Adjustable length stop with rule
- Four work stations
- Fully-filtered hydraulic system
- Telemecanique electrical components

## Product Brochure For P170A

- FLAT BAR SHEAR
  - Easily adjustable hold-down
  - Good visibility to blade line
  - Table support with guides
  - Angle flange trim/mitre to 45°
  - Shaped blade to give minimum distortion
- SOLID BAR SHEAR
  - Adjustable hold-down for cleaner cut
  - Single multi-hole hold-down
  - Optional equipment for cropping channel, tee and I-beam sections
- ANGLE SHEAR
  - Safety guarding around hold-down
  - Easily adjustable hold-down
  - Four cutting edges to all blades
  - Mitre cut at 45°
- Pre-Commissioning:
  1. Punch & Shear is run & tested prior delivery
  2. Hydraulic oil is included with machine

### Includes

- 6 sets of round punches & dies:
- Punches: 20, 22, 24, 26, 28 & 30mm
- Dies: 20.7, 23.2, 25.2, 27.2, 29.2 & 31.2mm
- Full safety guarding at all workstations
- 1 metre length stop for shear/crop stations
- Tooling to all workstations
- Punch, Shear & Notch support tables

### Optional Accessories

- Punch & dies are available in Round, Square, Rectangle & Oblong shapes

### Specific Features



Work Table with Adj. Stops



Flat Bar Shear



Square Bar Shear



Round Bar Shear



Angle Shear



Angle Shear



Angle Shear




Angle Shear



Angle Shear

**Recommended Accessories**

**P184**  
 Single-Vee Pressbrake Bending Attachment



**P165**  
 Ø6-26mm Round Punch & Dies Set



**P166**  
 Ø11-40mm Round Punch & Dies Set



**P726**  
 Ø26mm Round Punch - RPN1



**P726A**  
 Ø26.7mm Round Die - RDN1



**P6005**  
 8 x 20mm Slotted Punch



**P6006**  
 8.7 x 20.7mm Slotted Die



**P6001**  
 8 x 8mm Square Punch



Product Brochure For P170A


**P6002**  
 8.7 x 8.7mm Square Die



**M800**  
 Rubber Mat - Anti-Fatigue



**M805**  
 Rubber Mat - Anti-Fatigue



**O000**  
 SpillFix Universal Organic Absorbent



**O000A**  
 Natural Zeolite Absorbent



**O043**  
 Rust & Corrosion Preventive - Penetrant & Lubrication



**O042**  
 General Purpose Lubricant & Corrosion Inhibitor



**O040**  
 Rust & Corrosion Preventive - Penetrant & Lubrication



**O044**  
 Rust & Corrosion Preventive - Penetrant & Lubrication



**O004**  
 Superdraulic 46 Hydraulic Oil

